




DGN File: D:\StandardSpec\Section\2017\Section\All_Supp_Issues\Issue 5 06-28-2018\Drawings\AT05.dgn
 09-JUL-2018



(A) RAMP METER ADVANCE WARNING SIGN



(B) STOP HERE ON RED SIGN

- NOTES:**
1. PLACE POLE ON BREAKAWAY BASE. LOCATE ACCORDING TO SN 2A SERIES STD DWGS.
 2. INSTALL AT LOCATION SHOWN ON PLANS REGARDLESS OF NUMBER OF LANES.
 3. 12 INCH YELLOW LED. SEE STD DWG SL 3A AND 3B FOR SIGNAL HEAD DETAIL AND MOUNTING. SEE STD DWG AT 4 FOR FLASHER WIRING DETAILS.
 4. USE A SEPARATE CONDUCTOR HOME RUN FOR EACH DETECTOR NUMBER ASSIGNMENT.
 5. PROVIDE DETECTION LAYOUT MAP IN RAMP METER CABINET.

LEGEND
 (#) CABINET DETECTOR NUMBER ASSIGNMENT.

NO.	DATE	APPR.	REMARKS
1	6/28/18	CGW	UPDATED ALL REFERENCES TO SN AND SL SERIES DRAWINGS.

UTAH DEPARTMENT OF TRANSPORTATION
 STANDARD DRAWINGS FOR ROAD AND BRIDGE CONSTRUCTION
 SALT LAKE CITY, UTAH
 RECOMMENDED FOR APPROVAL
[Signature]
 CHAIRMAN STANDARDS COMMITTEE
 APPROVED
[Signature]
 DEPUTY DIRECTOR
 DATE: JUN. 28, 2018
 DATE: JUN. 28, 2018

RAMP METER DETAILS
SIGNING AND DETECTION
 STANDARD DRAWING TITLE
 STD. DWG. NO. **AT 5**